

## Showing Belt Numbers with Corresponding Nominal Outside Lengths, Top Widths and Angles

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K040378HD	38 1/2	977	9/16	14	40°	K060806HD	81 1/8	2061	13/16	20	40°
K040388HD	39 3/8	999	9/16	14	40°	K060832HD	83 3/4	2127	13/16	20	40°
K040425HD	43 1/8	1095	9/16	14	40°	K060846HD	85 1/4	2164	13/16	20	40°
K040430HD	43 3/4	1111	9/16	14	40°	K060849HD	85 1/2	2171	13/16	20	40°
K040445HD	45 1/4	1150	9/16	14	40°	K060858HD	86 3/8	2193	13/16	20	40°
K040745HD	75 1/8	1905	9/16	14	40°	K060860HD	86 5/8	2201	13/16	20	40°
K040762HD	76 7/8	1952	9/16	14	40°	K060870HD	87 5/8	2225	13/16	20	40°
K050323HD	33	837	21/32	17	40°	K060875HD	88 1/8	2238	13/16	20	40°
K050336HD	34 3/8	872	21/32	17	40°	K060905HD	90 7/8	2308	13/16	20	40°
K050340HD	34 5/8	881	21/32	17	40°	K060908HD	91 1/4	2319	13/16	20	40°
K050345HD	35 1/4	894	21/32	17	40°	K060910HD	91 5/8	2329	13/16	20	40°
K050350HD	35 5/8	906	21/32	17	40°	K060923HD	92 7/8	2360	13/16	20	40°
K050360HD	36 3/4	932	21/32	17	40°	K060930HD	93 5/8	2377	13/16	20	40°
K050375HD	38 1/4	971	21/32	17	40°	K060935HD	94	2387	13/16	20	40°
K050380HD	38 3/4	983	21/32	17	40°	K060960HD	96 1/2	2453	13/16	20	40°
K050420HD	42 5/8	1084	21/32	17	40°	K060988HD	99 1/2	2526	13/16	20	40°
K060337HD	34 1/4	871	13/16	20	40°	K060990HD	99 5/8	2531	13/16	20	40°
K060340HD	34 3/4	881	13/16	20	40°	K060994HD	99 7/8	2537	13/16	20	40°
K060390HD	39 3/4	1008	13/16	20	40°	K060997HD	100 1/4	2546	13/16	20	40°
K060393HD	39 7/8	1012	13/16	20	40°	K061000HD	100 5/8	2555	13/16	20	40°
K060400HD	40 3/4	1034	13/16	20	40°	K061005HD	101 1/8	2568	13/16	20	40°
K060408HD	41 1/2	1054	13/16	20	40°	K061010HD	101 5/8	2581	13/16	20	40°
K060415HD	42 1/8	1069	13/16	20	40°	K061015HD	102 1/8	2593	13/16	20	40°
K060425HD	43 1/8	1095	13/16	20	40°	K061020HD	102 5/8	2605	13/16	20	40°
K060435HD	44 1/8	1122	13/16	20	40°	K061058HD	106 3/8	2701	13/16	20	40°
K060439HD	44 1/2	1129	13/16	20	40°	K061080HD	108 3/4	2761	13/16	20	40°
K060455HD	46	1170	13/16	20	40°	K061140HD	114 1/2	2910	13/16	20	40°
K060458HD	46 3/8	1179	13/16	20	40°	K061187HD	119 1/4	3030	13/16	20	40°
K060470HD	47 5/8	1211	13/16	20	40°	K061195HD	120 1/8	3051	13/16	20	40°
K060478HD	48 1/4	1227	13/16	20	40°	K061223HD	122 7/8	3121	13/16	20	40°
K060480HD	48 5/8	1237	13/16	20	40°	K061265HD	127 1/8	3229	13/16	20	40°
K060483HD	48 7/8	1241	13/16	20	40°	K061360HD	136 1/2	3467	13/16	20	40°
K060490HD	49 1/2	1258	13/16	20	40°	K070404HD	41	1042	15/16	24	40°
K060495HD	50 1/8	1274	13/16	20	40°	K070553HD	55 7/8	1418	15/16	24	40°
K060500HD	50 3/4	1288	13/16	20	40°	K070640HD	64 5/8	1642	15/16	24	40°
K060509HD	51 1/2	1309	13/16	20	40°	K070673HD	67 3/4	1722	15/16	24	40°
K060516HD	52 1/8	1325	13/16	20	40°	K070677HD	68 1/4	1734	15/16	24	40°
K060520HD	52 3/4	1339	13/16	20	40°	K070705HD	71 1/8	1807	15/16	24	40°
K060523HD	52 7/8	1342	13/16	20	40°	K070709HD	71 1/2	1816	15/16	24	40°
K060525HD	53 3/8	1355	13/16	20	40°	K070733HD	73 3/4	1874	15/16	24	40°
K060529HD	53 1/2	1359	13/16	20	40°	K070735HD	74 1/8	1883	15/16	24	40°
K060532HD	53 7/8	1367	13/16	20	40°	K070762HD	76 3/4	1949	15/16	24	40°
K060539HD	54 1/2	1385	13/16	20	40°	K070786HD	79 1/8	2011	15/16	24	40°
K060547HD	55 1/4	1404	13/16	20	40°	K070801HD	80 3/4	2051	15/16	24	40°
K060555HD	56	1423	13/16	20	40°	K070805HD	81 1/8	2061	15/16	24	40°
K060557HD	56 1/4	1429	13/16	20	40°	K070825HD	83 1/8	2112	15/16	24	40°
K060559HD	56 1/2	1436	13/16	20	40°	K070835HD	84	2134	15/16	24	40°
K060560HD	56 5/8	1439	13/16	20	40°	K071056HD	106 1/4	2699	15/16	24	40°
K060568HD	57 3/8	1459	13/16	20	40°	K071247HD	125 3/8	3183	15/16	24	40°
K060569HD	57 1/2	1462	13/16	20	40°	K080330HD	33 3/4	856	1 3/32	28	40°
K060575HD	58	1473	13/16	20	40°	K080375HD	38 1/8	968	1 3/32	28	40°
K060578HD	58 3/8	1483	13/16	20	40°	K080382HD	38 3/4	983	1 3/32	28	40°
K060586HD	59 1/4	1504	13/16	20	40°	K080384HD	39	990	1 3/32	28	40°
K060594HD	60	1523	13/16	20	40°	K080385HD	39 1/8	992	1 3/32	28	40°
K060598HD	60 3/8	1534	13/16	20	40°	K080400HD	40 3/4	1034	1 3/32	28	40°
K060605HD	61 1/8	1553	13/16	20	40°	K080415HD	42 1/8	1069	1 3/32	28	40°
K060615HD	62 1/8	1577	13/16	20	40°	K080427HD	43 1/2	1103	1 3/32	28	40°
K060625HD	63 1/8	1603	13/16	20	40°	K080433HD	43 7/8	1115	1 3/32	28	40°
K060635HD	64 1/8	1627	13/16	20	40°	K080435HD	44 1/8	1122	1 3/32	28	40°
K060637HD	64 3/8	1634	13/16	20	40°	K080450HD	45 5/8	1160	1 3/32	28	40°
K060653HD	65 7/8	1674	13/16	20	40°	K080465HD	47	1195	1 3/32	28	40°
K060658HD	66 3/8	1687	13/16	20	40°	K080468HD	47 3/8	1203	1 3/32	28	40°
K060660HD	66 3/4	1696	13/16	20	40°	K080471HD	47 3/4	1211	1 3/32	28	40°
K060670HD	67 1/2	1716	13/16	20	40°	K080485HD	49 1/8	1249	1 3/32	28	40°
K060672HD	67 3/4	1722	13/16	20	40°	K080496HD	50 1/8	1274	1 3/32	28	40°
K060675HD	68	1728	13/16	20	40°	K080505HD	51	1297	1 3/32	28	40°
K060680HD	68 5/8	1742	13/16	20	40°	K080510HD	51 1/2	1309	1 3/32	28	40°
K060685HD	69 1/8	1756	13/16	20	40°	K080514HD	52	1320	1 3/32	28	40°
K060690HD	69 5/8	1767	13/16	20	40°	K080525HD	53 1/8	1351	1 3/32	28	40°
K060696HD	70 1/8	1781	13/16	20	40°	K080530HD	53 1/2	1359	1 3/32	28	40°
K060716HD	72	1830	13/16	20	40°	K080537HD	54 1/4	1379	1 3/32	28	40°
K060723HD	72 7/8	1851	13/16	20	40°	K080539HD	54 1/2	1384	1 3/32	28	40°
K060735HD	74 1/8	1881	13/16	20	40°	K080545HD	55 1/8	1399	1 3/32	28	40°
K060736HD	74 1/8	1882	13/16	20	40°	K080550HD	55 3/4	1415	1 3/32	28	40°
K060739HD	74 1/2	1893	13/16	20	40°	K080553HD	55 7/8	1419	1 3/32	28	40°
K060747HD	75 3/8	1914	13/16	20	40°	K080560HD	56 5/8	1439	1 3/32	28	40°
K060795HD	80 1/8	2034	13/16	20	40°	K080565HD	57	1448	1 3/32	28	40°

## FleetRunner® Micro-V® Belts - Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K080566HD	57 1/8	1452	1 3/32	28	40°	K080915HD	92 1/8	2340	1 3/32	28	40°
K080570HD	57 1/2	1462	1 3/32	28	40°	K080922HD	92 3/4	2355	1 3/32	28	40°
K080575HD	58 1/8	1475	1 3/32	28	40°	K080926HD	93 1/8	2367	1 3/32	28	40°
K080580HD	58 5/8	1490	1 3/32	28	40°	K080931HD	93 5/8	2379	1 3/32	28	40°
K080585HD	59	1499	1 3/32	28	40°	K080934HD	93 7/8	2384	1 3/32	28	40°
K080590HD	59 1/2	1512	1 3/32	28	40°	K080939HD	94 1/2	2400	1 3/32	28	40°
K080594HD	60	1523	1 3/32	28	40°	K080944HD	95	2412	1 3/32	28	40°
K080600HD	60 5/8	1538	1 3/32	28	40°	K080952HD	95 3/4	2432	1 3/32	28	40°
K080605HD	61 1/8	1553	1 3/32	28	40°	K080956HD	96 1/4	2444	1 3/32	28	40°
K080610HD	61 3/4	1569	1 3/32	28	40°	K080962HD	96 3/4	2457	1 3/32	28	40°
K080615HD	62 1/8	1577	1 3/32	28	40°	K080964HD	97	2465	1 3/32	28	40°
K080620HD	62 5/8	1591	1 3/32	28	40°	K080968HD	97 1/2	2475	1 3/32	28	40°
K080623HD	62 7/8	1598	1 3/32	28	40°	K080986HD	99 1/8	2519	1 3/32	28	40°
K080626HD	63 1/8	1603	1 3/32	28	40°	K080991HD	99 5/8	2531	1 3/32	28	40°
K080630HD	63 5/8	1616	1 3/32	28	40°	K080994HD	100	2540	1 3/32	28	40°
K080638HD	64 3/8	1634	1 3/32	28	40°	K081000HD	100 5/8	2555	1 3/32	28	40°
K080645HD	65 1/4	1657	1 3/32	28	40°	K081005HD	101 1/8	2568	1 3/32	28	40°
K080649HD	65 1/2	1665	1 3/32	28	40°	K081020HD	102 5/8	2605	1 3/32	28	40°
K080653HD	65 7/8	1674	1 3/32	28	40°	K081023HD	102 7/8	2613	1 3/32	28	40°
K080660HD	66 1/2	1691	1 3/32	28	40°	K081035HD	104	2642	1 3/32	28	40°
K080670HD	67 1/2	1716	1 3/32	28	40°	K081044HD	105	2666	1 3/32	28	40°
K080672HD	67 3/4	1722	1 3/32	28	40°	K081055HD	106 1/8	2694	1 3/32	28	40°
K080675HD	68	1728	1 3/32	28	40°	K081065HD	107 1/8	2720	1 3/32	28	40°
K080677HD	68 1/4	1734	1 3/32	28	40°	K081074HD	108	2745	1 3/32	28	40°
K080680HD	68 5/8	1742	1 3/32	28	40°	K081079HD	108 1/2	2756	1 3/32	28	40°
K080683HD	68 7/8	1750	1 3/32	28	40°	K081088HD	109 3/8	2778	1 3/32	28	40°
K080685HD	69 1/8	1756	1 3/32	28	40°	K081092HD	109 3/4	2788	1 3/32	28	40°
K080690HD	69 5/8	1767	1 3/32	28	40°	K081099HD	110 1/2	2807	1 3/32	28	40°
K080694HD	70	1777	1 3/32	28	40°	K081102HD	110 3/4	2814	1 3/32	28	40°
K080700HD	70 1/2	1789	1 3/32	28	40°	K081124HD	113	2869	1 3/32	28	40°
K080702HD	70 3/4	1798	1 3/32	28	40°	K081153HD	116 1/4	2953	1 3/32	28	40°
K080708HD	71 1/4	1811	1 3/32	28	40°	K081177HD	118 1/4	3005	1 3/32	28	40°
K080710HD	71 1/2	1816	1 3/32	28	40°	K081189HD	119 1/2	3034	1 3/32	28	40°
K080716HD	72 1/8	1831	1 3/32	28	40°	K081196HD	120 1/8	3050	1 3/32	28	40°
K080718HD	72 3/8	1839	1 3/32	28	40°	K081207HD	121 3/8	3082	1 3/32	28	40°
K080720HD	72 5/8	1845	1 3/32	28	40°	K081213HD	121 7/8	3096	1 3/32	28	40°
K080723HD	72 7/8	1851	1 3/32	28	40°	K081223HD	122 3/4	3117	1 3/32	28	40°
K080726HD	73 1/4	1859	1 3/32	28	40°	K081264HD	127	3227	1 3/32	28	40°
K080730HD	73 1/2	1867	1 3/32	28	40°	K081265HD	127 1/8	3228	1 3/32	28	40°
K080733HD	73 3/4	1874	1 3/32	28	40°	K081298HD	130 3/8	3312	1 3/32	28	40°
K080734HD	74	1880	1 3/32	28	40°	K081325HD	133 1/8	3381	1 3/32	28	40°
K080738HD	74 3/8	1889	1 3/32	28	40°	K081331HD	133 3/4	3396	1 3/32	28	40°
K080740HD	74 5/8	1896	1 3/32	28	40°	K081359HD	136 1/2	3468	1 3/32	28	40°
K080745HD	75 1/8	1907	1 3/32	28	40°	K081362HD	136 3/4	3474	1 3/32	28	40°
K080751HD	75 5/8	1921	1 3/32	28	40°	K081369HD	137 1/2	3492	1 3/32	28	40°
K080755HD	76	1931	1 3/32	28	40°	K081377HD	138 1/4	3513	1 3/32	28	40°
K080760HD	76 1/2	1942	1 3/32	28	40°	K090500HD	50 1/2	1282	1 7/32	31	40°
K080765HD	77	1957	1 3/32	28	40°	K090609HD	61 1/2	1562	1 7/32	31	40°
K080774HD	77 3/4	1976	1 3/32	28	40°	K100381HD	38 3/4	983	1 3/8	35	40°
K080776HD	78 1/8	1985	1 3/32	28	40°	K100437HD	44 1/4	1124	1 3/8	35	40°
K080780HD	78 5/8	1996	1 3/32	28	40°	K100456HD	46 1/8	1173	1 3/8	35	40°
K080785HD	79	2007	1 3/32	28	40°	K100465HD	47	1195	1 3/8	35	40°
K080790HD	79 1/2	2019	1 3/32	28	40°	K100485HD	48 7/8	1241	1 3/8	35	40°
K080794HD	80	2032	1 3/32	28	40°	K100495HD	50 1/8	1274	1 3/8	35	40°
K080797HD	80 1/8	2037	1 3/32	28	40°	K100502HD	50 3/4	1288	1 3/8	35	40°
K080801HD	80 3/4	2050	1 3/32	28	40°	K100510HD	51 1/2	1309	1 3/8	35	40°
K080806HD	81 1/8	2061	1 3/32	28	40°	K100535HD	54	1373	1 3/8	35	40°
K080810HD	81 5/8	2073	1 3/32	28	40°	K100540HD	54 1/2	1385	1 3/8	35	40°
K080813HD	81 3/8	2067	1 3/32	28	40°	K100551HD	55 5/8	1414	1 3/8	35	40°
K080816HD	82 1/8	2086	1 3/32	28	40°	K100554HD	56	1423	1 3/8	35	40°
K080817HD	82 3/8	2091	1 3/32	28	40°	K100557HD	56 3/8	1432	1 3/8	35	40°
K080820HD	82 3/4	2101	1 3/32	28	40°	K100563HD	56 7/8	1444	1 3/8	35	40°
K080825HD	83 1/8	2112	1 3/32	28	40°	K100564HD	57	1448	1 3/8	35	40°
K080830HD	83 3/4	2127	1 3/32	28	40°	K100570HD	57 1/2	1462	1 3/8	35	40°
K080834HD	84	2134	1 3/32	28	40°	K100572HD	57 7/8	1469	1 3/8	35	40°
K080839HD	84 3/8	2144	1 3/32	28	40°	K100575HD	58 1/8	1475	1 3/8	35	40°
K080842HD	84 3/4	2154	1 3/32	28	40°	K100578HD	58 3/8	1482	1 3/8	35	40°
K080845HD	85 1/8	2161	1 3/32	28	40°	K100579HD	58 1/2	1487	1 3/8	35	40°
K080850HD	85 3/8	2175	1 3/32	28	40°	K100582HD	58 3/4	1492	1 3/8	35	40°
K080855HD	86 1/8	2187	1 3/32	28	40°	K100594HD	60	1523	1 3/8	35	40°
K080859HD	86 3/8	2195	1 3/32	28	40°	K100600HD	60 1/2	1538	1 3/8	35	40°
K080860HD	86 5/8	2200	1 3/32	28	40°	K100607HD	61 1/4	1557	1 3/8	35	40°
K080865HD	87 1/8	2212	1 3/32	28	40°	K100610HD	61 5/8	1564	1 3/8	35	40°
K080868HD	87 3/8	2219	1 3/32	28	40°	K100615HD	62	1576	1 3/8	35	40°
K080872HD	87 3/4	2230	1 3/32	28	40°	K100618HD	63 3/4	1619	1 3/8	35	40°
K080876HD	88 1/8	2240	1 3/32	28	40°	K100630HD	63 5/8	1616	1 3/8	35	40°
K080878HD	88 3/8	2245	1 3/32	28	40°	K100637HD	64 1/4	1633	1 3/8	35	40°
K080885HD	89 1/8	2263	1 3/32	28	40°	K100640HD	64 5/8	1642	1 3/8	35	40°
K080889HD	89 1/2	2272	1 3/32	28	40°	K100643HD	65	1651	1 3/8	35	40°
K080893HD	89 7/8	2282	1 3/32	28	40°	K100649HD	65 1/2	1664	1 3/8	35	40°
K080897HD	90 3/8	2295	1 3/32	28	40°	K100655HD	66	1678	1 3/8	35	40°
K080903HD	90 7/8	2308	1 3/32	28	40°	K100658HD	66 3/8	1687	1 3/8	35	40°
K080910HD	91 5/8	2326	1 3/32	28	40°	K100661HD	66 3/4	1694	1 3/8	35	40°

Belt Size Lists

## FleetRunner® Micro-V® Belts - Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K100665HD	67 1/8	1704	1 3/8	35	40°	K120720HD	72 5/8	1845	1 21/32	42	40°
K100670HD	67 1/2	1716	1 3/8	35	40°	K120738HD	74 3/8	1889	1 21/32	42	40°
K100675HD	68	1728	1 3/8	35	40°	K120774HD	78	1982	1 21/32	42	40°
K100677HD	68 1/4	1734	1 3/8	35	40°	K120786HD	79 1/8	2010	1 21/32	42	40°
K100686HD	69 1/4	1758	1 3/8	35	40°	K120815HD	82	2083	1 21/32	42	40°
K100702HD	70 7/8	1800	1 3/8	35	40°	K120842HD	84 3/4	2154	1 21/32	42	40°
K100710HD	71 1/2	1816	1 3/8	35	40°	K120858HD	86 3/8	2194	1 21/32	42	40°
K100719HD	72 3/8	1840	1 3/8	35	40°	K120864HD	86 7/8	2208	1 21/32	42	40°
K100720HD	72 5/8	1845	1 3/8	35	40°	K120866HD	87 1/4	2215	1 21/32	42	40°
K100726HD	73 1/8	1859	1 3/8	35	40°	K120870HD	87 5/8	2225	1 21/32	42	40°
K100731HD	73 5/8	1871	1 3/8	35	40°	K120872HD	87 3/4	2230	1 21/32	42	40°
K100739HD	74 1/2	1893	1 3/8	35	40°	K120878HD	88 3/8	2245	1 21/32	42	40°
K100745HD	75 1/8	1907	1 3/8	35	40°	K120891HD	89 5/8	2278	1 21/32	42	40°
K100764HD	77	1957	1 3/8	35	40°	K120895HD	90 1/8	2289	1 21/32	42	40°
K100771HD	77 3/4	1976	1 3/8	35	40°	K120901HD	90 5/8	2301	1 21/32	42	40°
K100789HD	79 1/2	2019	1 3/8	35	40°	K120903HD	90 7/8	2308	1 21/32	42	40°
K100810HD	81 5/8	2073	1 3/8	35	40°	K120910HD	91 5/8	2326	1 21/32	42	40°
K100814HD	82	2083	1 3/8	35	40°	K120911HD	91 3/4	2329	1 21/32	42	40°
K100822HD	82 3/4	2102	1 3/8	35	40°	K120924HD	93 1/8	2364	1 21/32	42	40°
K100830HD	83 5/8	2124	1 3/8	35	40°	K120931HD	93 3/4	2381	1 21/32	42	40°
K100852HD	85 7/8	2182	1 3/8	35	40°	K120945HD	95	2415	1 21/32	42	40°
K100860HD	86 5/8	2200	1 3/8	35	40°	K120964HD	97	2463	1 21/32	42	40°
K100870HD	87 5/8	2226	1 3/8	35	40°	K120975HD	98 1/8	2492	1 21/32	42	40°
K100877HD	88 1/4	2242	1 3/8	35	40°	K120980HD	98 1/2	2503	1 21/32	42	40°
K100879HD	88 1/2	2247	1 3/8	35	40°	K120985HD	99 1/8	2516	1 21/32	42	40°
K100891HD	89 3/4	2278	1 3/8	35	40°	K120992HD	99 7/8	2537	1 21/32	42	40°
K100894HD	90	2285	1 3/8	35	40°	K121000HD	100 5/8	2556	1 21/32	42	40°
K100935HD	94	2388	1 3/8	35	40°	K121039HD	104 1/2	2654	1 21/32	42	40°
K100946HD	95 1/4	2419	1 3/8	35	40°	K121049HD	105 1/2	2680	1 21/32	42	40°
K100950HD	95 5/8	2428	1 3/8	35	40°	K121139HD	114 1/2	2909	1 21/32	42	40°
K100953HD	95 7/8	2436	1 3/8	35	40°	K140279HD	28 1/2	723	1 15/16	49	40°
K100983HD	98 7/8	2511	1 3/8	35	40°	K140345HD	35	890	1 15/16	49	40°
K100994HD	100	2539	1 3/8	35	40°	K140370HD	37 1/2	954	1 15/16	49	40°
K101010HD	101 1/2	2579	1 3/8	35	40°	K140429HD	43 1/2	1106	1 15/16	49	40°
K101015HD	102	2591	1 3/8	35	40°	K140433HD	43 7/8	1116	1 15/16	49	40°
K101091HD	109 5/8	2786	1 3/8	35	40°	K140451HD	45 5/8	1160	1 15/16	49	40°
K101115HD	112	2846	1 3/8	35	40°	K140496HD	50 1/8	1274	1 15/16	49	40°
K120281HD	28 3/4	730	1 21/32	42	40°	K140516HD	52 1/8	1325	1 15/16	49	40°
K120360HD	36 5/8	929	1 21/32	42	40°	K140524HD	53 1/8	1350	1 15/16	49	40°
K120390HD	39 3/4	1008	1 21/32	42	40°	K140555HD	56	1422	1 15/16	49	40°
K120400HD	40 3/4	1034	1 21/32	42	40°	K140580HD	58 5/8	1490	1 15/16	49	40°
K120410HD	41 1/2	1054	1 21/32	42	40°	K140594HD	60	1523	1 15/16	49	40°
K120525HD	53 1/8	1351	1 21/32	42	40°	K140597HD	60 3/8	1534	1 15/16	49	40°
K120559HD	56 1/2	1436	1 21/32	42	40°	K140603HD	60 7/8	1546	1 15/16	49	40°
K120594HD	60	1523	1 21/32	42	40°	K140618HD	62 3/8	1585	1 15/16	49	40°
K120606HD	61 1/8	1553	1 21/32	42	40°	K140627HD	63 3/8	1609	1 15/16	49	40°
K120610HD	61 3/4	1569	1 21/32	42	40°	K140662HD	66 3/4	1696	1 15/16	49	40°
K120640HD	64 5/8	1641	1 21/32	42	40°	K140682HD	68 3/4	1746	1 15/16	49	40°
K120645HD	65	1651	1 21/32	42	40°	K140700HD	70 1/2	1789	1 15/16	49	40°
K120702HD	70 3/4	1798	1 21/32	42	40°						

## Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
<b>9/16" (14mm) Top Width</b>				<b>13/16" (20mm) Top Width</b>				<b>1 3/32" (28mm) Top Width</b>			
				- Continued							
38 1/2	977	40°	K040378HD	72 7/8	1851	40°	K060723HD	49 1/8	1249	40°	K080485HD
39 3/8	999	40°	K040388HD	74 1/8	1881	40°	K060735HD	50 1/8	1274	40°	K080496HD
43 1/8	1095	40°	K040425HD	74 1/8	1882	40°	K060736HD	51	1297	40°	K080505HD
43 3/4	1111	40°	K040430HD	74 1/2	1893	40°	K060739HD	51 1/2	1309	40°	K080510HD
45 1/4	1150	40°	K040445HD	75 3/8	1914	40°	K060747HD	52	1320	40°	K080514HD
75 1/8	1905	40°	K040745HD	80 1/8	2034	40°	K060795HD	53 1/8	1351	40°	K080525HD
76 7/8	1952	40°	K040762HD	81 1/8	2061	40°	K060806HD	53 1/2	1359	40°	K080530HD
<b>21/32" (17mm) Top Width</b>				<b>13/16" (20mm) Top Width</b>				<b>1 3/32" (28mm) Top Width</b>			
33	837	40°	K050323HD	94	2387	40°	K060935HD	59 1/2	1512	40°	K080590HD
34 3/8	872	40°	K050336HD	96 1/2	2453	40°	K060960HD	60	1523	40°	K080594HD
34 5/8	881	40°	K050340HD	99 1/2	2526	40°	K060988HD	60 5/8	1538	40°	K080600HD
35 1/4	894	40°	K050345HD	99 5/8	2531	40°	K060990HD	61 1/8	1553	40°	K080605HD
35 5/8	906	40°	K050350HD	99 7/8	2537	40°	K060994HD	61 3/4	1569	40°	K080610HD
36 3/4	932	40°	K050360HD	100 1/4	2546	40°	K060997HD	62 1/8	1577	40°	K080615HD
38 1/4	971	40°	K050375HD	100 5/8	2555	40°	K061000HD	62 5/8	1591	40°	K080620HD
38 3/4	983	40°	K050380HD	101 1/8	2568	40°	K061005HD	62 7/8	1598	40°	K080623HD
42 5/8	1084	40°	K050420HD	101 5/8	2581	40°	K061010HD	63 1/8	1603	40°	K080626HD
				102 1/8	2593	40°	K061015HD	63 5/8	1616	40°	K080630HD
				102 5/8	2605	40°	K061020HD	64 3/8	1634	40°	K080638HD
				106 3/8	2701	40°	K061058HD	65 1/4	1657	40°	K080645HD
				108 3/4	2761	40°	K061080HD	65 1/2	1665	40°	K080649HD
				114 1/2	2910	40°	K061140HD	65 7/8	1674	40°	K080653HD
				119 1/4	3030	40°	K061187HD	66 1/2	1691	40°	K080660HD
				120 1/8	3051	40°	K061195HD	67 1/2	1716	40°	K080670HD
				122 7/8	3121	40°	K061223HD	67 3/4	1722	40°	K080672HD
				127 1/8	3229	40°	K061265HD	68	1728	40°	K080675HD
				136 1/2	3467	40°	K061360HD	68 1/4	1734	40°	K080677HD
				<b>15/16" (24mm) Top Width</b>							
				41	1042	40°	K070404HD	68 5/8	1742	40°	K080680HD
				55 7/8	1418	40°	K070553HD	68 7/8	1750	40°	K080683HD
				64 5/8	1642	40°	K070640HD	69 1/8	1756	40°	K080685HD
				67 3/4	1722	40°	K070673HD	69 5/8	1767	40°	K080690HD
				68 1/4	1734	40°	K070677HD	70	1777	40°	K080694HD
				71 1/8	1807	40°	K070705HD	70 1/2	1789	40°	K080700HD
				71 1/2	1816	40°	K070709HD	70 3/4	1798	40°	K080702HD
				73 3/4	1874	40°	K070733HD	71 1/4	1811	40°	K080708HD
				74 1/8	1883	40°	K070735HD	71 1/2	1816	40°	K080710HD
				76 3/4	1949	40°	K070762HD	72 1/8	1831	40°	K080716HD
				79 1/8	2011	40°	K070786HD	72 3/8	1839	40°	K080718HD
				80 3/4	2051	40°	K070801HD	72 5/8	1845	40°	K080720HD
				81 1/8	2061	40°	K070805HD	72 7/8	1851	40°	K080723HD
				83 1/8	2112	40°	K070825HD	73 1/4	1859	40°	K080726HD
				84	2134	40°	K070835HD	73 1/2	1867	40°	K080730HD
				106 1/4	2699	40°	K071056HD	73 3/4	1874	40°	K080733HD
				125 3/8	3183	40°	K071247HD	74	1880	40°	K080734HD
				<b>1 3/32" (28mm) Top Width</b>							
				33 3/4	856	40°	K080330HD	74 3/8	1889	40°	K080738HD
				38 1/8	968	40°	K080375HD	74 5/8	1896	40°	K080740HD
				38 3/4	983	40°	K080382HD	75 1/8	1907	40°	K080745HD
				39	990	40°	K080384HD	75 5/8	1921	40°	K080751HD
				39 1/8	992	40°	K080385HD	76	1931	40°	K080755HD
				40 3/4	1034	40°	K080400HD	76 1/2	1942	40°	K080760HD
				42 1/8	1069	40°	K080415HD	77	1957	40°	K080765HD
				43 1/2	1103	40°	K080427HD	77 3/4	1976	40°	K080774HD
				43 7/8	1115	40°	K080433HD	78 1/8	1985	40°	K080776HD
				44 1/8	1122	40°	K080435HD	78 5/8	1996	40°	K080780HD
				45 5/8	1160	40°	K080450HD	79	2007	40°	K080785HD
				47	1195	40°	K080465HD	79 1/2	2019	40°	K080790HD
				47 3/8	1203	40°	K080468HD	80	2032	40°	K080794HD
				47 3/4	1211	40°	K080471HD	80 1/8	2037	40°	K080797HD
								80 3/4	2050	40°	K080801HD
								81 1/8	2061	40°	K080806HD
								81 5/8	2073	40°	K080810HD
								81 3/8	2067	40°	K080813HD

Belt Size Lists

FleetRunner® Micro-V® Belts - Listed by Size

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
<b>1 3/32" (28mm) Top Width</b>				<b>1 7/32" (31mm) Top Width</b>				<b>1 21/32" (42mm) Top Width</b>			
- Continued				50 1/2	1282	40°	K090500HD	28 3/4	730	40°	K120281HD
82 1/8	2086	40°	K080816HD	61 1/2	1562	40°	K090609HD	36 5/8	929	40°	K120360HD
82 3/8	2091	40°	K080817HD	<b>1 3/8" (35mm) Top Width</b>				39 3/4	1008	40°	K120390HD
82 3/4	2101	40°	K080820HD	38 3/4	983	40°	K100381HD	40 3/4	1034	40°	K120400HD
83 1/8	2112	40°	K080825HD	44 1/4	1124	40°	K100437HD	41 1/2	1054	40°	K120410HD
83 3/4	2127	40°	K080830HD	46 1/8	1173	40°	K100456HD	53 1/8	1351	40°	K120525HD
84	2134	40°	K080834HD	47	1195	40°	K100465HD	56 1/2	1436	40°	K120559HD
84 3/8	2144	40°	K080839HD	48 7/8	1241	40°	K100485HD	60	1523	40°	K120594HD
84 3/4	2154	40°	K080842HD	50 1/8	1274	40°	K100495HD	61 1/8	1553	40°	K120606HD
85 1/8	2161	40°	K080845HD	50 3/4	1288	40°	K100502HD	61 3/4	1569	40°	K120610HD
85 3/8	2175	40°	K080850HD	51 1/2	1309	40°	K100510HD	64 5/8	1641	40°	K120640HD
86 1/8	2187	40°	K080855HD	54	1373	40°	K100535HD	65	1651	40°	K120645HD
86 3/8	2195	40°	K080859HD	54 1/2	1385	40°	K100540HD	70 3/4	1798	40°	K120702HD
86 5/8	2200	40°	K080860HD	55 5/8	1414	40°	K100551HD	72 5/8	1845	40°	K120720HD
87 1/8	2212	40°	K080865HD	56	1423	40°	K100554HD	74 3/8	1889	40°	K120738HD
87 3/8	2219	40°	K080868HD	56 3/8	1432	40°	K100557HD	78	1982	40°	K120774HD
87 3/4	2230	40°	K080872HD	56 7/8	1444	40°	K100563HD	79 1/8	2010	40°	K120786HD
88 1/8	2240	40°	K080876HD	57	1448	40°	K100564HD	82	2083	40°	K120815HD
88 3/8	2245	40°	K080878HD	57 1/2	1462	40°	K100570HD	84 3/4	2154	40°	K120842HD
89 1/8	2263	40°	K080885HD	57 7/8	1469	40°	K100572HD	86 3/8	2194	40°	K120858HD
89 1/2	2272	40°	K080889HD	58 1/8	1475	40°	K100575HD	86 7/8	2208	40°	K120864HD
89 7/8	2282	40°	K080893HD	58 3/8	1482	40°	K100578HD	87 1/4	2215	40°	K120866HD
90 3/8	2295	40°	K080897HD	58 1/2	1487	40°	K100579HD	87 5/8	2225	40°	K120870HD
90 7/8	2308	40°	K080903HD	58 3/4	1492	40°	K100582HD	87 3/4	2230	40°	K120872HD
91 5/8	2326	40°	K080910HD	60	1523	40°	K100594HD	88 3/8	2245	40°	K120878HD
92 1/8	2340	40°	K080915HD	60 1/2	1538	40°	K100600HD	89 5/8	2278	40°	K120891HD
92 3/4	2355	40°	K080922HD	61 1/4	1557	40°	K100607HD	90 1/8	2289	40°	K120895HD
93 1/8	2367	40°	K080926HD	61 5/8	1564	40°	K100610HD	90 5/8	2301	40°	K120901HD
93 5/8	2379	40°	K080931HD	62	1576	40°	K100615HD	90 7/8	2308	40°	K120903HD
93 7/8	2384	40°	K080934HD	63 3/4	1619	40°	K100618HD	91 5/8	2326	40°	K120910HD
94 1/2	2400	40°	K080939HD	63 5/8	1616	40°	K100630HD	91 3/4	2329	40°	K120911HD
95	2412	40°	K080944HD	64 1/4	1633	40°	K100637HD	93 1/8	2364	40°	K120924HD
95 3/4	2432	40°	K080952HD	64 5/8	1642	40°	K100640HD	93 3/4	2381	40°	K120931HD
96 1/4	2444	40°	K080956HD	65	1651	40°	K100643HD	95	2415	40°	K120945HD
96 3/4	2457	40°	K080962HD	65 1/2	1664	40°	K100649HD	97	2463	40°	K120964HD
97	2465	40°	K080964HD	66	1678	40°	K100655HD	98 1/8	2492	40°	K120975HD
97 1/2	2475	40°	K080968HD	66 3/8	1687	40°	K100658HD	98 1/2	2503	40°	K120980HD
99 1/8	2519	40°	K080986HD	66 3/4	1694	40°	K100661HD	99 1/8	2516	40°	K120985HD
99 5/8	2531	40°	K080991HD	67 1/8	1704	40°	K100665HD	99 7/8	2537	40°	K120992HD
100	2540	40°	K080994HD	67 1/2	1716	40°	K100670HD	100 5/8	2556	40°	K121000HD
100 5/8	2555	40°	K081000HD	68	1728	40°	K100675HD	104 1/2	2654	40°	K121039HD
101 1/8	2568	40°	K081005HD	68 1/4	1734	40°	K100677HD	105 1/2	2680	40°	K121049HD
102 5/8	2605	40°	K081020HD	69 1/4	1758	40°	K100686HD	114 1/2	2909	40°	K121139HD
102 7/8	2613	40°	K081023HD	70 7/8	1800	40°	K100702HD	<b>1 15/16" (49mm) Top Width</b>			
104	2642	40°	K081035HD	71 1/2	1816	40°	K100710HD	28 1/2	723	40°	K140279HD
105	2666	40°	K081044HD	72 3/8	1840	40°	K100719HD	35	890	40°	K140345HD
106 1/8	2694	40°	K081055HD	72 5/8	1845	40°	K100720HD	37 1/2	954	40°	K140370HD
107 1/8	2720	40°	K081065HD	73 1/8	1859	40°	K100726HD	43 1/2	1106	40°	K140429HD
108	2745	40°	K081074HD	73 5/8	1871	40°	K100731HD	43 7/8	1116	40°	K140433HD
108 1/2	2756	40°	K081079HD	74 1/2	1893	40°	K100739HD	45 5/8	1160	40°	K140451HD
109 3/8	2778	40°	K081088HD	75 1/8	1907	40°	K100745HD	50 1/8	1274	40°	K140496HD
109 3/4	2788	40°	K081092HD	77	1957	40°	K100764HD	52 1/8	1325	40°	K140516HD
110 1/2	2807	40°	K081099HD	77 3/4	1976	40°	K100771HD	53 1/8	1350	40°	K140524HD
110 3/4	2814	40°	K081102HD	79 1/2	2019	40°	K100789HD	56	1422	40°	K140555HD
113	2869	40°	K081124HD	81 5/8	2073	40°	K100810HD	58 5/8	1490	40°	K140580HD
116 1/4	2953	40°	K081153HD	82	2083	40°	K100814HD	60	1523	40°	K140594HD
118 1/4	3005	40°	K081177HD	82 3/4	2102	40°	K100822HD	60 3/8	1534	40°	K140597HD
119 1/2	3034	40°	K081189HD	83 5/8	2124	40°	K100830HD	60 7/8	1546	40°	K140603HD
120 1/8	3050	40°	K081196HD	85 7/8	2182	40°	K100852HD	62 3/8	1585	40°	K140618HD
121 3/8	3082	40°	K081207HD	86 5/8	2200	40°	K100860HD	63 3/8	1609	40°	K140627HD
121 7/8	3096	40°	K081213HD	87 5/8	2226	40°	K100870HD	66 3/4	1696	40°	K140662HD
122 3/4	3117	40°	K081223HD	88 1/4	2242	40°	K100877HD	68 3/4	1746	40°	K140682HD
127	3227	40°	K081264HD	88 1/2	2247	40°	K100879HD	70 1/2	1789	40°	K140700HD
127 1/8	3228	40°	K081265HD	89 3/4	2278	40°	K100891HD				
130 3/8	3312	40°	K081298HD	90	2285	40°	K100894HD				
133 1/8	3381	40°	K081325HD	94	2388	40°	K100935HD				
133 3/4	3396	40°	K081331HD	95 1/4	2419	40°	K100946HD				
136 1/2	3468	40°	K081359HD	95 5/8	2428	40°	K100950HD				
136 3/4	3474	40°	K081362HD	95 7/8	2436	40°	K100953HD				
137 1/2	3492	40°	K081369HD	98 7/8	2511	40°	K100983HD				
138 1/4	3513	40°	K081377HD	100	2539	40°	K100994HD				
				101 1/2	2579	40°	K101010HD				
				102	2591	40°	K101015HD				
				109 5/8	2786	40°	K101091HD				
				112	2846	40°	K101115HD				